


Vibratory towed rollers

6 t



Technical data/Equipment

The towed roller was exclusively developed for the compaction of earthworks; frequency, amplitude and vibrating mass were determined accordingly. The steel frame with its high ground clearance together with the transversely arranged diesel engine allow compaction work on slopes of up to 40 degrees. High reliability is achieved by the oscillationfree mounted vibration drive. Apart from this, BOMAG towed rollers are designed for low maintenance.



BW 6 S with towing hitch (optional equipment)

Standard Equipment

- Electric starter
- Electric remote control for vibration
- Acoustic engine monitoring for oil pressure, V-belt, generator
- Adjustable scrapers
- Fuel gauge, Operating hour meter
- Dry air cleaner

Optional Equipment


- Sheepsfoot drum conversion kit
- Heavy-duty reinforced drum (38 mm/+ 1000 kg)
- Special paint finish
- Towing hitch (NATO)
- Tool set

Recommendation

- Working speed 2-4 km/h (1.2–2.5 mph)
- Transport speed 8 km/h (5 mph)

Recommendation for towing vehicle:

- Engine power 45-60 kW (61.6–81.6 hp) depending on soil conditions
- Speed min. 1,5 km/h (0.9 mph)



Dimensions in mm

	B	D	H	K	L	O ₁	O ₂	W	S
BW 6	2080	1500	1820	510	4950	190	190	1700	22

Machine type	rock gravel, sand mixed soils (coarse) clay			
	Thickness of compacted layer (m)			
BW 6	0,80	0,60	0,45	0,25
BW 6 S	0,80	0,60	0,45	0,30
Compaction output (m ³ /h)				
BW 6	470–940	360–720	270–540	180–360
BW 6 S	470–940	360–720	270–540	210–420

BW 6 S	2080	1550	1850	535	4950	190	190	1700	16
--------	------	------	------	-----	------	-----	-----	------	----

Technical data

Weights

	kg	BW 6	BW 6 S
Basic weight	5800		6700
Operating weight (CECE)	5876		6776
Static linear load (CECE)	34,6		–

Dimensions

Deviations		see illustration	see illustration
Number of pad feet	mm	–	96
Height of pad feet	mm	–	100
Projection angle front	Grad	9	9
Projection angle rear	Grad	16	16
Max. inclination front	Grad	24	24
Max. inclination rear	Grad	24	24
Tilting angle, left/right	Grad	25	25

Drive

	BW 6	BW 6 S
Engine manufacturer	Deutz	Deutz
Type	F3L 914	F3L 914
Cooling	air	air
Number of cylinders	3	3
Power (TIER II)	37/50	37/50
Speed	2300	2300
Fuel	Diesel	Diesel

Vibration system

		mech. centri-fugal clutch	mech. centri-fugal clutch
Drive			
Frequency	Hz	28	28
Amplitude	mm	1,53	1,19
Centrifugal force	kN/t	118/12	118/12

Electrical equipment

	V/Ah	12/143	12/143
Battery, voltage/capacity			

Towing hitch

	mm	45,5	45,5
Bore diameter			
	mm	60	60
Thickness of coupling			

Capacities

	l	90	90
Fuel			

The machines illustrated may show optional equipment which can be supplied at additional cost. Specifications may change without notice.

- **Head Office/Hauptsitz:**
BOMAG, Hellenwald, 56154 Boppard, GERMANY, Tel.: +49 6742 100-0, Fax: +49 6742 3090, e-mail: germany@bomag.com
- **BOMAG Maschinenhandels-gesellschaft mbH,** Porschestraße 9, 1230 Wien, AUSTRIA, Tel.: +43 1 69040-0, Fax: +43 1 69040-20, e-mail: austria@bomag.com
- **BOMAG (CANADA), INC.,** 1300 Aerowood Drive, Mississauga, Ontario L4W 1B7, CANADA, Tel.: +1 905 6256611, Fax: +1 905 6259570, e-mail: canada@bomag.com
- **BOMAG (Shanghai) Compaction Machinery Co., Ltd.,** 1619 Huhang Road, Shanghai Comprehensive Industrial Zone (Fengxian), Shanghai 201401, P. R. CHINA, Tel.: +86 21 67104242, Fax: +86 21 67104141, e-mail: china@bomag.com
- **BOMAG FRANCE S.A.S.,** 2, avenue du Général de Gaulle, 91170 Viry-Châtillon, FRANCE, Tel.: +33 1 69 57 86 00, Fax: +33 1 69 96 26 60, e-mail: france@bomag.com
- **BOMAG (GREAT BRITAIN), LTD.,** Sheldon Way, Larkfield, Aylesford, Kent ME20 6SE, GREAT BRITAIN, Tel.: +44 1622 716611, Fax: +44 1622 718385, e-mail: gb@bomag.com
- **BOMAG Italia Srl.,** Z.I. - Via Mella 6, 25015 Desenzano del Garda (Bs) , ITALY, Tel.: +39 030 9127263, Fax: +39 030 9127278, e-mail: italy@bomag.com
- **BOMAG JAPAN Co., LTD.,** Oval Court Ohsaki Mark West Bldg. 8th floor, 2-17-1, Higashi Gotanda, Shinagawa-ku, Tokyo, JAPAN, 141-0022, Tel: +81 3 5449 7560, Fax: +81 3 5449 0160, e-mail: japan@bomag.com
- **BOMAG,** Representative Office Asia & Pacific, 300 Beach Road, The Concourse, 32-02, Singapore 199565, SINGAPORE, Tel.: +65 6 294 1277, Fax: +65 6 294 1377, e-mail: singapore@bomag.com
- **BOMAG Americas, Inc.,** 2000 Kentville Road, Kewanee, Illinois 61443, U.S.A., Tel.: +1 309 8533571, Fax: +1 309 8520350, e-mail: usa@bomag.com